



It's time for Huddle Hub One
1 Unit, 4 Concurrent Wireless Presentations



Huddle Hub One

A Most Innovative Wireless Presentation System

Huddle Hub One is a **fully-equipped wireless presentation system**, that introduces some **unprecedented features** to the market.


Like most wireless presenters, it allows the screen of your computer or mobile device to be presented on your huddle room large display, eliminating the need for an HDMI cable.

Uniquely, with Huddle Hub One **a room TV is not even necessary**, the unit can **send and receive presentations directly on the screen of meeting participants computers and mobile devices**, enabling any space of your company to be used for collaboration: huddle rooms, offices, even lounges.

A single Huddle Hub One unit allows **up to 4 concurrent independent sessions**, each with up to 64 participants.

A room-based webcam can also be connected to Huddle hub One simplifying a videoconference session by providing a **true wireless webcam connection** to devices.

Huddle Hub One implements session password protection, stream encryption and connection from the enterprise or guest network, enforcing **business-grade security** that can be administrated from its web console.



huddle hub™
one




huddle hub™
one+

1 Unit, 4 Concurrent Wireless Presentations

Huddle Hub One allows **4 independent presentation sessions**.

In one room, a TV and a webcam can be connected directly to the unit, while in 3 other rooms participants can collaborate using their devices, or by connecting an Android TV or an Amazon Fire Stick (or a standard TV enabled with an Android HDMI dongle)



Key Features

- Up to 4 concurrent sessions per Huddle Hub unit
- Up to 64 connected users in each session
- Up to 4 presentations on the screen at the same time
- Present and receive your screen with Windows, MacOS, Android and iOS
- Receive the presentation on any web browser, no installation required
- Receive the presentation on Android smart TV
- Wirelessly connect the huddle room webcam to your favorite videoconference software
- Dual network mode for guest secure collaboration
- Minimal and effective UI design: present with 1 click
- Easy administration via a dedicated web console



www.hrt.website
info@hrt.email

HRT USA, Inc.
100 North
Arlington Ave,
Suite 360
Reno, NV 89501
USA

HRT Srl
Via Grieco 1/C
41011 Campogalliano
(MO)
ITALY

REQUIREMENTS

Supported OS	Windows® 7 or higher, MacOS® 10.11 or higher iOS® 11 or higher, Android® 5 or higher
Supported Browser (Web Viewer)	Chrome™, Edge™, Firefox™, Safari™, Opera™
Videoconference Software Compatibility	Skype™, Skype for Business™, Google Meet™, WebEx™, Zoom™, Cisco Spark™, GoToMeeting™, Slack™, etc

SPECIFICATIONS

Wireless Presentation Resolution	Up to HD 1080p@30fps
Wireless Webcam Feed Resolution	Up to HD 720p@30fps
Wired Network Connection	Ethernet RJ-45 port, 1000 Mbit/s
Onboard Dual-Band Access Point (Huddle Hub One+ only)	Wi-Fi IEEE 802.11 ac/a b g n 2.4/5 Ghz, 2 antennas
Wi-Fi Authentication Protocol (Huddle Hub One+ only)	WPA2-PSK
Content Encryption	AES 128
Webcam Port	USB 2.0/3.0
TV Port	HDMI
Power	External power adapter 12V DC
Dimensions (Excluding Antennas)	160 mm (6.3 in) x 132 mm (5.2 in) x 51 mm (2.0 in)
Weight	1080 g (2.38 lb)
Case	Aluminum with fanless cooling
Temperature Range	Operating: 0°C to +40°C (+32°F to +104°F) Max: 35°C (95°F) at 3000m Storage: -20°C to +60°C (-4°F to +140°F)
Mount	Table top or VESA mount (brackets included)

PCT Patent Application Pending
Last updated: 3rd June 2018. Technical specifications are subject to change without prior notice.
Please check www.hrt.website for the latest information
Copyright (C) HRT 2018 - Huddle Hub, the HRT logo and other HRT marks are owned by HRT and
may be registered. All other trademarks are the properties of their respective owners